

Project Order Proforma 2016

1	S	ho	rt	Pro	iect	tΤ	itle

-	oving groundwater mod oi region	els t	o better represent coal seam o	gas ex	traction impacts in the						
Long	Project Title			alsea	w models to better account for m reservoir properties, likely ter flow						
GISEF	RA Project Number		W.9								
Propo	osed Start Date		1 December 2016								
Proposed End Date			30 November 2018								
Project Leader			Luke Connell								
2. GIS	ERA Region										
	Queensland	\boxtimes	New South Wales		Northern Territory						
3. GIS	ERA Research Program										
\boxtimes	Water Research		GHG Research		Social & Economic Research						
	Biodiversity Research		Agricultural Land Management Research		Health						
4. Res	earch Leader, Title and	d Oı	ganisation								
Luke	Connell, Research Scien	tist,	CSIRO Energy, 20% of time on	proje	ect						



5. Background

The GISERA stakeholders have identified water impacts as key questions, i.e. "WQ01 What amount of water is used by the CSG industry and where does it come from." In addition, the top ranked research topic by the GISERA stakeholders was "Groundwater levels – including depletion and contamination of surrounding aquifers." Both of these issues are largely investigated using groundwater modelling. However, existing groundwater models used in CSG impact assessment do not and cannot represent the details of the actual flow process within the CSG well field, instead rely on simplified relationships or estimates of the CSG water production. In reality groundwater flow and CSG water production are closely coupled. The existing CSG groundwater impact modelling compensate for these inaccuracies by using conservative assumptions to ensure impacts are over-estimated. This project would significantly improve the accuracy with which CSG groundwater impacts are assessed for the Namoi region by more accurately representing the effects of CSG production in the groundwater modelling of this area. As part of this work, the project would develop an approach with more general application suitable for use in other CSG groundwater assessments.

Coal seam gas (CSG) is extracted by producing water through wells to lower the pore pressure within the coal. Reducing the pore pressure leads to methane desorption from the coal with the resultant gas production determined by a number of processes which also affect the rate of water production. A challenge is representing these complex coupled reservoir flow processes, which operate at relatively small scales around the producing wells, in the large scale models used to assess groundwater impacts. Several studies have shown that this is an important effect with significant impact on the resulting CSG groundwater assessment (Commonwealth of Australia, 2014; Moore et al., 2015; Herckenrath et al., 2015).

The Queensland Office of Groundwater Impact Assessment (OGIA) developed a procedure to improve the representation of coal seam gas impacts in their groundwater modelling assessments (Herckenrath et al., 2015). This was based on compiling a series of simulation results from the ECLIPSE reservoir model where various reservoir processes operating during gas production were represented. The ECLIPSE results showed that during production the degree of water saturation tended to asymptote over time to a monotonic relationship with respect to pressure. This relationship was used in a version of MODFLOW that represented unsaturated flow. For the cases considered, the resultant MODFLOW predictions of drawdown due to the coal seam gas wells were found to compare well to those from the ECLIPSE modelling. However, not all the reservoir processes were included in the ECLIPSE modelling; for example, the relationship that permeability has with respect to effective stress and the effects of matrix shrinkage were neglected. These processes interact to determine the impacts of CSG production related water use on groundwater levels, the top ranked research topic identified by GISERA stakeholders.



6. Project Description

This project would evaluate and further develop the procedure used in the OGIA modelling to represent CSG well field groundwater impacts and apply it to the Namoi region. The project would develop a procedure that would be used in other groundwater modelling being conducted under GISERA for Namoi. The developed relationship for the CSG impacts would then be implemented in the groundwater model being developed under the current GISERA project "Impacts of CSG depressurization on GAB flux project" in work supported under the this project.

This project would be based on detailed reservoir simulation of CSG production at Namoi using the SIMEDWin reservoir simulator. This model would use the coal seam reservoir properties and likely well arrangements for Namoi. The results from these simulations would be used to evaluate the potential of the saturation vs pressure relationship as described by Herckenrath et al. (2015) or other potential relationships between key driving variables that could prove suitable for implementation in MODFLOW. The developed relationship would then be used to update the MODFLOW model developed for the Namoi under the GISERA GAB flux project. The results would also be compared with how the CSG well field is represented in the Santos EIS and CSIRO's Bioregional Assessment groundwater modelling and potential impacts that this could have on the predictions from this work considered. Since the developed relationship would be based on reservoir simulations for the Namoi it would be specific for that location. The coal formations to be focused on are the Hoskissons Coal formation and seams in the Maules Creek Formation in the Gunnedah Basin.



7. Budget Summary

Expenditure	2016/17	2017/18	2018/19	Total			
Labour	74,496	160,415	63,585	298,496			
Operating	700	1,400	700	2,800			
Subcontractors	•	•	•	•			
Total Expenditure	75,196	161,815	64,285	301,295			

Expenditure per Task	2016/17	2017/18	2018/19	Total		
Task 1	32,615	-	-	32,615		
Task 2	14,348	-	-	14,348		
Task 3	28,233	74,114	-	102,347		
Task 4	-	73,161	-	73,161		
Task 5	-	14,540	7,856	22,396		
Task 6	-		56,429	56,429		
Total Expenditure	75,196	161,815	64,285	301,295		

Source of Cash	2016/17	2017/18	2018/19	Total
Contributions				Total
GISERA Industry Partners (25%)	18,799	40,454	16,071	75,324
- Santos (12.5%)	9,400	20,227	8,035	37,662
- AGL (12.5%)	9,400	20,227	8,035	37,662
NSW Government (25%)	18,799	40,454	16,071	75,324
Federal Government (25%)	18,799	40,454	16,071	75,324
Total Cash Contributions	56,397	121,361	48,214	225,971



In-Kind Contribution from Part ners	2016/17	2017/18	2018/19	Total
CSIRO (25%)	18,799	40,454	16,071	75,324
Total In-Kind Contribution from Partners	18,799	40,454	16,071	75,324

	Total funding over all years	Percentage of Total Budget
GISERA Investment	75,324	25%
NSW Government Investment	75,324	25%
Federal Government Investment	75.324	25%
CSIRO Investment	75,324	25%
Total Other Investment	-	
TOTAL	\$301,295	



Task	Milestone Number	Milest one Description	Start Date (mm-yy)	Delivery Date (mm-yy)	Fiscal Year Completed	Funded by	Payment \$ (excluding CSIRO contribution)
		Completion of review and data					
Task 1	1.1	collation	12-16	3-17	2016/17	GISERA	\$24,461.25
Task 2	2.1	CSG model construction complete	3-17	5-17	2016/17	GISERA	\$10,761.00
Task 3	3.1	Coal seam gas simulations conducted to identify how groundwater production is related to water table level or other key driving variables suitable for use in MODFLOW for the Namoi	5-17	12-17	2017/18	GISERA	\$76,760.25
140110	3 11	Approaches to representing coal seam	5 11	. =	2011/10	0.0	ψ. σ,: σσ: <u></u> σσ
Task 4	4.1	gas groundwater impacts at the spatial scale of the MODFLOW grid.	12-17	5-18	2017/18	GISERA	\$54,870.75
Task 5	5.1	Implementing the results of Tasks 3 and 4 in MODFLOW to represent CSG well field influences.	5-18	8-18	2018/19	GISERA	\$16,797.00
Task 6	6.1	Updating of Namoi MODFLOW model predictions and assessment of other groundwater modelling for Namoi	5-18	12-18	2018/19	GISERA	\$42,321.75



8. Other Researchers

Researcher	Researcher Time Commit ment (project as a whole)		Years of experience	Organisation
Luke Connell	20%	CSG reservoir and groundwater simulation	30	CSIRO
Nick Lupton	20%	CSG reservoir engineering	5	CSIRO
Regina Sander	10%	CSG reservoir engineering	5	CSIRO
Sreekanth Janardhanan	40 days	Groundwater modelling	10	CSIRO

9. Subcontractors

Subcontractors	Subcontractor	Role				
(clause 9.5(a)(i))	N/A					

10. Project Objectives and Outputs

Groundwater impact is a key issue of concern with CSG development. In the NSW CSG research interest stakeholder survey groundwater levels were identified as the top ranked research topic. This project would contribute directly to improving the prediction of groundwater impacts by ensuring accurate representation of the effects of CSG production in the groundwater models being developed for the Namoi region. Preliminary research work completed in Queensland and presented in Moore et al. (2015) indicates that prediction of groundwater drawdown impacts by conventional models can have significant errors. These uncertainties are compensated for in existing CSG impact modelling by applying conservative assumptions such that potential impacts are over-predicted. The degree of over-prediction is difficult to estimate as there are a broad range of influences operating with each site being unique. The research will help to underpin the next-round of regional scale CSG impact assessments using improved understanding of the reservoir processes.

11. GISERA Objectives Addressed

This project would address the top ranked research topic identified by GISERA stakeholders; groundwater levels in response to CSG. It would improve the reliability of groundwater assessments by developing an approach that can be incorporated into existing groundwater flow models and captures the influence of the range of processes operating around CSG wells that determine the water flow and production. The final task of the project will update the GISERA MODFLOW model for the GAB fluxes using the relationships identified for groundwater production. The estimates of groundwater production used in other groundwater modelling of the Namoi by Santos and CSIRO Bioregional Assessments will be compared to that predicted by the developed approach and the potential impacts on model predictions discussed.



12. Project Development

The project was developed through a review of the literature, the project leader's involvement in previous work on upscaling of CSG well field simulations for MODFLOW modelling funded by QGC, and discussions with CSIRO staff Sreekanth Janardhanan and Luk Peters who are involved in the Bioregional Assessments and GISERA groundwater modelling. From this it was clearly identified that there was a need to develop improved approaches to describing the integrated impact of the CSG well field on groundwater systems. The project would further develop the approach used in the OGIA groundwater modelling as described by Herckenrath et al. (2015) and apply this to the Namoi region. The immediate application of this work would be in the GISERA project "Impacts of CSG depressurization on GAB flux project" where it would be used to improve the representation of water production from the CSG well field in groundwater flow modelling. It would develop an approach that could be used with future groundwater assessment modelling and therefore directly improve the accuracy of that work.

This project would be based on detailed reservoir simulation of CSG production at Namoi using the SIMEDWin reservoir simulator. This model would use the coal seam reservoir properties for Namoi and likely well arrangements. The results from these simulations would be used to evaluate the potential of the saturation vs pressure relationship as described by Herckenrath et al. (2015). The developed relationship would then be used to update the MODFLOW model developed for the Namoi under the GISERA GAB flux project. The results would also be compared with how the CSG well field is represented in the Santos EIS and CSIRO's Bioregional Assessment groundwater modelling. These models have been constructed using conservative assumptions to ensure impacts are not under estimated. The comparison with the current modelling will consider the magnitude of the over prediction resulting from these conservative assumptions.



13. Project Plan

Commence Project

Stage 1

Development of model for CSG well fields for the Namoi suitable for use in MODFLOW

(includes review of existing approaches, data collation for the Namoi, SIMEDWin CSG modelling for the Namoi, development of mathematical relationships to explain CSG well field impacts for MODFLOW modelling of Namoi)



Decision Point

Enables discussion/decision making about the developed modelling before proceeding to its implementation in Namoi Modlfow models and updating of the GAB flux model

The GISERA Director to provide approval to proceed

Proceed with Stage 2 of Project

Stage 2

Implementation of CSG model into MODFLOW, updating of GAB flux predictions for Namoi, comparison with other existing Namoi groundwater models, presentation of Final report



13.1 Project Schedule

ID	Task Title	Task Leader	Scheduled Start	Scheduled Finish	Predecessor
Task 1	Completion of review and data collation	Luke Connell	1/12/2016	1/3/2017	
Task 2	CSG model construction complete	Nick Lupton	1/3/2017	1/5/2017	Task 1
Task 3	Coal seam gas simulations conducted to identify how groundwater production is related to water table level or other key driving variables suitable for use in MODFLOW for the Namoi	Luke Connell	1/5/2017	1/12/2017	Task 2
Task 4	Approaches to representing coal seam gas groundwater impacts at the spatial scale of the MODFLOW grid.	Luke Connell	1/12/2017	1/5/2018	Task 3
Task 5	Implementing the results of Tasks 3 and 4 in MODFLOW to represent CSG well field influences.	Nick Lupton	1/5/2018	1/8/2018	Task 4
Task 6	Updating of Namoi MODFLOW model predictions and assessment of other groundwater modelling for Namoi	Sreekanth Janardhanan	1/8/2018	1/12/2018	Task 3,4,5



Task 1

TASK NAME: Review and collation of Namoi site data for CSG reservoir simulation

TASK LEADER: Luke Connell

OVERALL TIMEFRAME: 3 months

BACKGROUND: This task involves the review of previous scientific work on CSG upscaling with a particular focus on the OGIA approach and that of Moore et al. (2014). An important part of this review will be a consideration of the differences in aquifer geology (i.e. confined vs unconfined) between the Namoi and for the areas considered in the previous work. This review would comprise a chapter in the final report and a section of the milestone report for this Task. The second activity in this task would be collation of the properties required for CSG reservoir simulation for the Namoi. This information would be largely sourced from published studies on the Namoi under GISERI, Santos EIS and CSIRO Bioregional Assessments but some properties may need to be estimated from the literature. The results of this task would be summarised in a milestone report.

TASK OBJECTIVE: Review of previous work related to the representation of CSG well field impacts into groundwater modelling and collation of site data required for reservoir simulation

TASK OUTPUTS: A summary of previous approaches to representing CSG groundwater impacts and collated site properties for the Namoi area of interest.

SPECIFIC DELIVERABLES: A chapter in the final report also presented as a milestone report.

Task 2

TASK NAME: Construction of Namoi CSG models

TASK LEADER: Nick Lupton

OVERALL TIMEFRAME: 3 months

BACKGROUND: In this task a series of Namoi CSG models will be constructed to cover the range of likely production scenarios and ranges of reservoir properties. The role of the model boundary will investigated using progressively larger model sizes to verify that the boundary does not artificially influence the simulation results. The production scenarios will be based on information presented in the Santos Namoi EIS.

TASK OBJECTIVE: A series of CSG models in SIMEDWin to represent Namoi production scenarios.

TASK OUTPUTS: SIMEDWin input data files for Namoi CSG production.

SPECIFIC DELIVERABLES: A chapter in the final report also presented as a milestone report.

Task 3

TASK NAME: Relationships between groundwater pressure and production rate for the CSG

field.

TASK LEADER: Luke Connell



OVERALL TIMEFRAME: 6 months

BACKGROUND: In this task a series of simulations for likely CSG well field arrangements in terms of well spacings and the other key groundwater parameters will be performed and the simulation results compiled to investigate the potential for developing simple relationships between the key driving variables operating and groundwater production in a similar manner to that used in the OGIA modelling described by Herckenrath et al. (2015).

TASK OBJECTIVE: To develop relationships for groundwater production from the Namoi CSG well field of a form suitable for incorporation into MODFLOW groundwater modelling.

TASK OUTPUTS: A tested functional relationship for groundwater production modelling in MODFLOW that captures the near well processes operating during CSG production and the integration between groundwater flow and CSG water production.

SPECIFIC DELIVERABLES: A chapter in the final report also presented as milestone report.

Task 4

TASK NAME: Approaches to representing coal seam gas groundwater impacts at the spatial scale of the MODFLOW grid.

TASK LEADER: Luke Connell

OVERALL TIMEFRAME: 5 months

BACKGROUND: In this task the role of the spatial scale will also be investigated to assess potential approaches for upscaling the CSG well field simulations to larger scales amenable to the grid block sizes used in regional scale MODFLOW groundwater modelling such as that used in the GISERA project on the GAB fluxes. The approach described by Moore et al. (2014) for upscaling will be used as a starting point for this work.

TASK OBJECTIVE: To develop relationships suitable for MODFLOW modelling that allow larger grid block sizes to used and still accurately represent the integration between groundwater production from the CSG well field and groundwater flow at local and regional scales.

TASK OUTPUTS: An approach to upscaling the Namoi CSG well field for MODFLOW regional scale modelling for Namoi.

SPECIFIC DELIVERABLES: A chapter in the final report also presented as a milestone report.

Task 5

TASK NAME: Implementing the results of Tasks 3 and 4 in MODFLOW to represent CSG well field influences.

TASK LEADER: Nick Lupton

OVERALL TIMEFRAME: 2 months

BACKGROUND: In this task the outcomes from Tasks 3 and 4 will be implemented in the version of MODFLOW used in the groundwater assessment work performed under GISERA.



TASK OBJECTIVE: To develop relationships suitable for MODFLOW modelling that allow larger grid block sizes to be used and still accurately represent the integration between groundwater production from the CSG well field and groundwater flow at local and regional scales.

TASK OUTPUTS: An approach to upscaling the CSG well field suitable for MODFLOW regional scale modelling.

SPECIFIC DELIVERABLES: A chapter in the final report also presented as a milestone report.

Task 6

TASK NAME: Updating of Namoi MODFLOW model predictions and assessment of other groundwater modelling for Namoi

TASK LEADER: Sreekanth Janardhanan

OVERALL TIMEFRAME: 6 months

BACKGROUND: Regional scale groundwater models are commonly used for predicting the groundwater impacts caused by coal seam gas development. Unlike reservoir models groundwater models built using popular codes like MODFLOW are unable to simulate the gas/water dual phase flow occurring near the gas wells. Discounting the dual phase flow near the CSG wells in regional groundwater models result in large scale over prediction of groundwater drawdown in the coal seams and nearby formations. These near-field over prediction of drawdown could also potentially result in uncertainties in the prediction of impacts at a wide range of risk receptors like farmers' bores, groundwater dependent ecosystems, springs etc. In this task the data/knowledge derived from the well field scale reservoir simulations will be used to develop and improve method for the representation of near-field desaturation of coal measures in regional scale groundwater model simulations. The developed methods will be used to minimise uncertainties in the prediction of groundwater impacts in the Namoi region. The groundwater model used in the GISERA GAB flux project will be used for this task.

This task will also compare the predictions of groundwater production with how the CSG well field is represented in the Santos EIS and CSIRO's Bioregional Assessment groundwater modelling.

TASK OBJECTIVE: Updating the regional scale groundwater impact predictions in the Namoi region by incorporating the near field desaturation processes.

TASK OUTPUTS: Improved representation of near-field processes in a regional groundwater model for the Namoi region.

SPECIFIC DELIVERABLES: Report/chapter describing the methods and application.



Gantt Chart

	2016		2017												2018										
Task	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12
1. Review and site data collation																									
2. Namoi csg models																									
3. Groundwater relationships																									
4. Upscaling																									
5. Links to MODFLOW																									
6. Updating Namoi groundwater model																									



14. Communications Plan

Communication of the results of the project will be managed in accordance with GISERA's communication strategy. This may include presentations at community and industry meetings, conferences and publication of reports, scientific articles and factsheets. In addition, communication with relevant state and federal government departments including NSW Chief Scientist Office will be maintained to ensure that they are aware of the outcomes of the research and possible policy implications.

The project will establish a Technical Reference Group (TRG) aimed at seeking advice on contextual matters and to discuss research needs as well as outputs as the project progresses. The TRC will include the project leader and a group of different stakeholders, as appropriate (noting NSW Chief Scientist Office have been approached and declined).

15. Intellectual Property and Confidentiality

Background IP (clause 11.1,	Party	Description of Background IP	Restrictions on use (if any)	Value
11.2)	CSIRO/UNSW	SIMEDWin	Jointly owned	License fee \$20,000
Ownership of	CSIRO			
Ownership of Non-Derivative IP	CSIKO			
(clause 12.3)				
Confidentiality of Project Results (clause 15.6)	Project Results are not confidential.			
Additional Commercialisation requirements (clause 13.1)	Not applicable.			
Distribution of Commercialisation Income (clause 13.4)	Not applicable			
Commercialisation	Party Commercialisation			
Interest (clause 1.1)	Santos		Interest	
,	AGL			
	CSIRO			